

RACING CATALOGUE



AMD
SPORTS
www.amdsports.ru

ALPINE
FW 23/24

SALOMON

Our history begins in a small workshop, with a family dedicated to honing the craft of tuning unassuming pieces of metal, into perfectly gripping ski edges. Edges whose sharpness shaped skiing culture for the past three quarters of a century. As the years went by... Our vision challenged conventional ski norms. Our gear always adapting to meet the needs of a constantly evolving sport. We got bigger, and sharp edges are now only part of our expertise. We took risks on and off the slopes. Often, we won. Yet, sometimes we failed. What is failure but an opportunity to learn?

Hand in hand, on the snow, we learn from the best. From those who dedicate their lives to perfecting their skiing. Our family is now made of inventors, designers, engineers, World Champions, mountain lovers, ski veterans and new recruits. With their help, we continuously shape new trends. Every year our products get more sophisticated, but our standards never change. In our world, performance is a way of life and excellence is our norm. We are limit pushers and progress seekers.

WE ARE THE SALOMON FAMILY, AND WE HAVE BEEN PROUDLY TRANSFORMING SKIING SINCE 1947.

WELCOME



SALOMON

TEAM

AMD
SPORTS



MARTA BASSINO
ITA - ALPINE SKI



MICHELLE GISIN
SWI - ALPINE SKI



ANA BUCIK
SLO - ALPINE SKI



ELVIRA ÖBERG
SWE - BIATHLON



MARTE OLSBU RØISELAND
NOR - BIATHLON



JESSIE DIGGINS
USA - XC SKI



SEBASTIAN SAMUELSSON
SWE - BIATHLON



RICHARD JOUVE
FRA - XC SKI



VETLE SJÅSTAD CHRISTIANSEN
NOR - BIATHLON



VANESSA VOIGT
GER - BIATHLON



SJUR RØTHE
NOR - XC SKI



NILS ALLEGRE
FRA - ALPINE SKI



MAJA DAHLQVIST
SWE - XC SKI



VICTOR MUFFAT - JEANDET
FRA - ALPINE SKI



MATHIEU FAIVRE
FRA - ALPINE SKI



ALICE ROBINSON
NZL - ALPINE SKI



LUCA DE ALIPRANDINI
ITA - ALPINE SKI



BLADE TECHNOLOGY



UNCOMPROMISED SPEED
IN TRANSITIONS

Salomon's Blade technology fuses flexible polymer inserts into the TI layer, preserving the ski's stiffness yet adding the liveliness needed for high speed through the turn.



DH

SG

GS



S/RACE FIS DH L47028500• L47028600•



S/RACE FIS SG L47054700• L47054800• L47054900• L47028000• L47028100•



S/RACE FIS GS **NEW** L47332800• L47332900• L47335100• L47335200• L47027300• L47046800•



S/RACE PRIME GS L47028200• L47028300•

	MODEL	REF.	COMPABI- LITY	LENGHT (cm)	TIP (mm)	WAIST (mm)	TAIL (mm)	RADIUS (m)	PRICE
DH	S/RACE FIS DH 218 50m (RP P99)	L47028500•	ICON	218	91	65	80	≈50	
	S/RACE FIS DH 215 50m (RP P99)	L47028600•	ICON	215	93	65	79	≈50	
SG	S/RACE FIS SG 212 45m (RP P99)	L47054700•	ICON	212	95	65	81	≈45	
	S/RACE FIS SG 207 40m (RP P68)	L47054800•	X LAB	207	95	65	81	40	
	S/RACE FIS SG 200 35m (RP P68)	L47054900•	X LAB	200	97	65	81	35	
	S/RACE FIS SG 192 35m (RP P68)	L47028000•	X LAB	192	98	65	82	35	
	S/RACE FIS SG 185 30m (RP P68)	L47028100	X LAB	185	99	65	82	30	
GS	S/RACE FIS GS 193 30m (RP P97) NEW	L47332800•	ICON	193	101	65	83	≈30	
	S/RACE FIS GS 193 30m (RP P68) NEW	L47332900•	X LAB						
	S/RACE FIS GS 188 30m (RP P97) NEW	L47335100•	ICON	188	98	65	84	≈30	
	S/RACE FIS GS 188 30m (RP P68) NEW	L47335200•	X LAB						
	S/RACE FIS GS 187 27m (RP P97)	L47027300•	ICON	187	103	65	82	27	
	S/RACE FIS GS 187 27m (RP P68)	L47046800•	X LAB						
	S/RACE PRIME GS 183 24m (RP P68)	L47028200•	X LAB	183	105	68	89	24	
	S/RACE PRIME GS 176 21m (RP P68)	L47028300•	X LAB	176	106	67	90	21	

SL



	MODEL	REF.	COMPABI- LITY	LENGHT (cm)	TIP (mm)	WAIST (mm)	TAIL (mm)	RADIUS (m)	PRICE
SL	S/RACE FIS SL 165 (RP P98)	L47027400•	ICON	165	119	66	104	12	
	S/RACE FIS SL 165 (RP P68)	L47046900•	X LAB						
	S/RACE FIS SL 157 (RP P98)	L47027500•	ICON	157	115	66	100	13	
	S/RACE FIS SL 157 (RP P68)	L47047000•	X LAB						
	S/RACE FIS SL 155 (RP P68)	L47027600•	X LAB	155	113	65	98	12	
	S/RACE PRIME SL 165 13m (RP P68)	L47028400•	X LAB	165	119	66	104	12	

S/RACE - AFTERMARKET



STRAPS RACE 1x10
L47185200•

MODEL	REF.	PRICE
STRAPS RACE 1x10	L47185200•	

ICON BINDING

THE ICON BINDING IS THE WINNING CHOICE OF SALOMON'S WORLD CUP RACERS.

The ICON binding is the winning choice of Salomon's World Cup racers. Engineered to handle even the most challenging turns, it features a redesigned toe piece that centralizes your power transmission. Channeling up to 30% more power underfoot, it simultaneously release up to 15% of pressure from the tip and tail, giving you a livelier turn.

100% MADE IN EUROPE

With 80% of its components developed and built in France, 20% in Germany and Italy, this binding is entirely crafted in Europe reaching highest level of quality standards.



CENTRALIZED POWER TRANSFER

The new centralized power transfer construction brings the screws closer to the bottom of your feet, so you can experience unprecedented power transmission at high speed.

VERTICAL ELASTICITY

The redesigned toe piece provides less vertical rigidity, so you can experience more powerful rebound at the end of each turn.

S/RACE BOOTS

CHOOSE THE RIGHT SKIBOOTS THAT FIT YOUR EXPECTATIONS

S/RACE² BOOTS

- Progressive and tolerant geometrie and module

FULL SERVICE



S/RACE BOOTS

- Direct and aggressive geometrie and module

FULL SERVICE



LARGER PLASTICS

Polyurethane ether - To charge through the gates with full control and confidence.

LOWER MODULE



MORE PROGRESSIVE AND TOLERANT

HEAVIER



THINNER PLASTICS

Polyurethane ether + Xecarb® cuff reinforcement - To provide the right snow feeling for victory.

HIGHER MODULE



MORE DIRECT AND AGGRESSIVE

LIGHTER

360° 65 MM DUAL CLAW

Made with a claw system to allow for low elasticity and better lower leg hold, it ensures maximum power transmission.

WORLD CUP LINER

Delivering the highest level of performance and foothold, while a specific World Cup tongue allows better shock absorption.



ICON 30
L41774600+



ICON 24
L41774700+



X20 LAB WC
L40514100+



X16 LAB
L41773700+



X12 LAB
L41773800+

MODEL	REF.	COLOR	SIZE (brakes)	DIN	RECO. SKIER WEIGHT (kg)	ADJUSTMENT RANGE (mm)	WEIGHT (1/2 pair in g)	PRICE
ICON 30	L41774600+	Blue	X75	20 - 30	>95	110	2920	
ICON 24	L41774700+	Blue	X75	14 - 24	>95	110	2920	
X20 LAB WC	L40514100+	Black	X70	12 - 20	>95	100	1760	
X16 LAB	L41773700+	Blue	X70	8 - 16	>95	100	1480	
X12 LAB	L41773800+	Blue	X70	4 - 12	42 - 120	100	1480	

BOOTS |



S/RACE² 140 WC
L47049700



S/RACE² 130 WC
L47049900



S/RACE² 110 WC
L47050000



S/RACE 130
L47351800



S/RACE 110
L47351900

MODEL	REF.	SIZE RANGE	FLEX	LAST (mm)	STRAP	WEIGHT (g)	PRICE
S/RACE ² 140 WC	L47049700	23.5 - 28.5	140	92	360° 65mm DUAL CLAW	2210	
S/RACE ² 130 WC	L47049900	22.5 - 28.5	130	92	360° 65mm DUAL CLAW	2210	
S/RACE ² 110 WC	L47050000	22.5 - 28.5	110	92	360° 45mm VELCRO	2245	
S/RACE 130	L47351800	22.5 - 28.5	130	92	360° 65mm DUAL CLAW	2170	
S/RACE 110	L47351900	22.5 - 28.5	110	92	360° 45mm VELCRO	2120	



		MODEL	SIZE	REF.	SELL BY	PRICE			
1	SHELL	SRACE² 140 SHELL (NAKED)	23,5	L47191579	Pairs				
			24,5	L47191580					
			25,5	L47191581					
			26,5	L47191582					
			27,5	L47191583					
			28,5	L47191584					
		SRACE² 130 SHELL (NAKED)	22,5	L47191678	Pairs				
			23,5	L47191679					
			24,5	L47191680					
			25,5	L47191681					
			26,5	L47191682					
			27,5	L47191683					
	SRACE² 110 SHELL (NAKED)	28,5	L47191684	Pairs					
		22,5	L47191778						
		23,5	L47191779						
24,5		L47191780							
25,5		L47191781							
26,5		L47191782							
2	CUFF	SRACE² 140 CUFF (NAKED)	27,5	L47191783	Pairs				
			28,5	L47191784					
			22, 23, 24	L47191801					
		SRACE² 130 CUFF (NAKED)	25, 26, 27	L47191901	Pairs				
			28	L47192001					
			22, 23, 24	L47192101					
		SRACE² 110 CUFF (NAKED)	25, 26, 27	L47192201	Pairs				
			28	L47192301					
			22, 23, 24	L47192401					
3	TONGUE	SRACE² VELCRO TONGUE	25, 26, 27	L47192501	Pairs				
			28	L47192601					
			22 to 23,5	L47509701			Pairs		
			24 to 25,5	L47509801					
4	BUCKLE	SRACE² ALU BUCKLE SHELL NEW	26 to 27,5	L47509901	Pairs				
			28 to 29,5	L47510001					
			5	STRAP			SRACE² STRAP VELCRO 45mm	XS	L47509301
S	L47509401								
6	LINER	SRACE² ALU BUCKLE CUFF NEW			L	L47509501		Pairs	
			SRACE² DUAL CLAW STRAP 65mm 22 to 28,5	1	L47193401	Pairs			
				2	L47193501				
OTHERS	OTHERS	SRACE² FOOTBED		only 1 size (22 to 28,5)				Pairs	
		SRACE² 140 LINER NEW	22,5	L47509656	Pairs				
			23,5	L47509622					
			24,5	L47509624					
			25,5	L47509626					
			26,5	L47509629					
			27,5	L47509631					
			28,5	L47509633					
			SRACE² CUFF BACK SUPPORT SCREW	22,5 / 23,5 / 24,5 / 25,5 / 26,5 / 27,5 / 28,5			Unit		
-									



		MODEL	SIZE	REF.	SELL BY	PRICE
1	SHELL	SRACE 130 SHELL NEW	22,5	L47507956	Pairs	
			23,5	L47507922		
			24,5	L47507924		
			25,5	L47507926		
			26,5	L47507929		
			27,5	L47507931		
			28,5	L47507933		
		SRACE 110 SHELL NEW	22,5	L47508756	Pairs	
			23,5	L47508722		
			24,5	L47508724		
			25,5	L47508726		
			26,5	L47508729		
27,5	L47508731					
28,5	L47508733					
2	CUFF	SRACE 130 CUFF 22/23 NEW	-	L47508000	Pairs	
		SRACE 130 CUFF 24/25 NEW	-	L47508100		
		SRACE 130 CUFF 26/27 NEW	-	L47508200		
		SRACE 130 CUFF 28 NEW	-	L47510100		
		SRACE 110 CUFF 22/23 NEW	-	L47508300	Pairs	
		SRACE 110 CUFF 24/25 NEW	-	L47508400		
		SRACE 110 CUFF 26/27 NEW	-	L47508500		
		SRACE 110 CUFF 28 NEW	-	L47510200		
3	BOOTBOARD	SRACE BOOTBOARD	22,5	L40787156	Pairs	
			23,5	L40787122		
			24,5	L40787124		
			25,5	L40787126		
			26,5	L40787129		
			27,5	L40787131		
			28,5	L40787133		
	OTHERS	LIFTERS (1 pair of 3mm - 1 pair of 5mm)	-	L40810001	2 Pairs	
		TIP SEALING SRACE	-	L41649801	Pairs	
		CANTING SRACE	-	L40787301	Pairs	
		REAR PLATE 22/29 SRACE	-	L41648801	Pairs	
		SRACE BACKBONE METAL	22 to 29	L41648900	Pairs	

GS



SL



	MODEL	REF.	COMPABI- LITY	LENGHT (cm)	TIP (mm)	WAIST (mm)	TAIL (mm)	RADIUS (m)	PRICE
GS	S/RACE GS PRO (RP P73 and X12 TL GW)	L47037900+	X12 TL	182	116	65	99	17	
	S/RACE GS PRO (RP P68 and X12 Lab)	L47055500+	X LAB	175	115		98	15	
	S/RACE GS 12 (RP P73 and X12 TL GW)	L47038100+	X12 TL	180 175 170	115	68	96 97 98	19 18 16	
SL	S/RACE SL PRO (RP P73 and X12 TL GW)	L47037800+	X12 TL	170 165 160 155	121	68	104 104 105 105	14 13 12 11	
	S/RACE SL PRO (RP P68 and X12 Lab)	L47055400+	X LAB	170 165	121	68	104 104	14 13	
	S/RACE SL 12 (RP P73 and X12 TL GW)	L47038000+	X LAB	160 155			105 105	12 11	

ALPINE BOOTS



S/PRO ALPHA 130
L47044200



S/PRO SUPRA BOA 130 **NEW**
L47344700

Challenging traditional boot constructions to introduce a new standard of perfect fit, Salomon's Supra BOA 130 ski boots are built to maximize foothold and performance. Combining an ExoWrap® Construction powered by the BOA® Fit System that delivers micro-adjustable, precision fit engineered to perform in the toughest conditions.

HYBRID BOOTS



SHIFT PRO 130 AT
L47352100



S/LAB MTN SUMMIT
L47042900



S/LAB MTN
L47352300

MODEL	REF.	SIZE RANGE	FLEX	LAST (mm)	STRAP	WEIGHT (g)	PRICE
S/PRO ALPHA 130	L47044200	22, 22.5 - 30, 30.5	130	98, 104	ENERGYZER CLAW 50mm	1950	
S/PRO SUPRA BOA 130 NEW	L47344700	24 - 31.5	130	100 - 106	SCREWED ENERGYZER CLAW 50mm	1890	
SHIFT PRO 130 AT	L47352100	22.5 - 31.5	130	100 - 106	SENSE CLAW 45mm	1690	
S/LAB MTN SUMMIT	L47042900	22.5 - 30.5	110	99 - 105	DUAL POWERSTRAP 70mm	1180	
S/LAB MTN	L47352300	24.5 - 29.5	120	98 - 104	DUAL CLAW 50mm	1550	





S/RACE CARBON L47022000



S/RACE ALU L47022100



S/RACE SG L47022200



X08 RACE L47022400

MODEL	REF.	COLOR	SIZES (cm)	WEIGHT (g)	FEATURES	PRICE
S/RACE CARBON	L47022000	Blue	110, 115, 120, 125, 130, 135	250	Carbon **** Shaft diameter: 14mm Racing rubber grip Racing strap Interchangeable basket system Racing basket Carbide/widia tip	
S/RACE ALU	L47022100	Blue	110, 115, 120, 125, 130, 135	230	Alu **** Shaft diameter: 18mm Racing rubber grip Racing strap Interchangeable basket system Racing basket Carbide/widia tip	
S/RACE SG	L47022200	Blue	110, 115, 120, 125, 130, 135	230	Alu **** Shaft diameter: 18mm Racing rubber grip Racing strap Interchangeable basket system Downhill basket Carbide/widia tip	
X08 RACE	L47022400	Blue	110, 115, 120, 125, 130, 135	250	Alu ** Shaft diameter: 18mm Dual material all mountain grip Wide strap Interchangeable basket system All mountain basket Standard tip	



1 CONSTRUCTIONS

Injected ABS

› ROBUSTNESS AND DURABILITY

Made from a single injection of ABS beads, this construction delivers high durability, shock absorption, impact deflection and resistance to penetration.



Fiberglass

› RACING COMPLIANCE

Certified to FIS RH 2013 standards, these helmets can be used in GS, SG and DH ski races. The construction features a multi-impact EPS and EPP liner and a durable fiberglass shell.

Available only on our S/Race model.



2 SAFETY

twICEme

› PROVIDES SAFER ADVENTURES

twICEme is a technology integrated in some of our helmets, allowing for more efficient emergency responses in case of an accident. twICEme is read by placing an NFC-enabled smartphone on the twICEme symbol. twICEme gives instant access to uploaded information such as medical information, ICE contacts, personal identifiers, insurance info and exact coordinates.



EPS4D

› BETTER SHOCK REPARTITION

The traditional EPS structure is hollowed out to create pads that absorb an additional 30% of shocks without impacting the complete structure of the helmet. This also improves ventilation by creating air channels and reduces the amount of material used, lowering the helmet's environmental impact.




3 FIT

Custom Dial (360 V)

› SIMPLE FIT ADJUSTMENT


The Custom Dial provides added versatility and a more fine-tuned adjustment to the helmet. Whether on the back of the head only, all around it or with an additional vertical adjustment, it allows a tighter fit and perfect stability. Just loosen the knob for a more relaxed fit.



Custom Dial



Custom Dial 360



Custom Dial 360 V



S/RACE
L47021100



S/RACE
L47021200



S/RACE FIS INJECTED **NEW**
L47345800



METAL CHINGUARD
L78869600



S/RACE SL **NEW**
L47256100



S/RACE SL **NEW**
L47256200



S/RACE SL **NEW**
L47331200



ADJUSTABLE METAL CHINGUARD
L47378200 **NEW**

MODEL	REF.	COLOR	SIZES	WEIGHT (g)	FEATURES	PRICE
S/RACE	L47021100	White Gradient	XS to XXL	620	Fiberglass EPS4D World Cup liner FIS certified	
	L47021200	Blue				
S/RACE FIS INJECTED NEW	L47345800	White Gradient	XS to XXL	700	ABS EPS4D twiCEme World Cup liner FIS certified	
METAL CHINGUARD	L78869600	Black	Unique	-	Compatible with S/RACE, S/RACE FIS INJECTED	
S/RACE SL NEW	L47256100	White Gradient	S, M, L	625 (with chin-guard)	ABS EPS4D twiCEme Custom Dial 360 V Recycled fabrics Integrated goggle retainer Integrated chinguard	
	L47256200	Blue				
	L47331200	Black				
ADJUSTABLE METAL CHINGUARD NEW	L47378200	Black	Unique	-	Compatible with S/Race SL	

HOW TO CHOOSE THE RIGHT HELMET SIZE?

ADULT FIT & SIZING	53	53.5	54	54.5	55	55.5	56	56.5	57	57.5	58	58.5	59	59.5	60	60.5	61	61.5	62
S/RACE S/RACE FIS INJECTED		XS			S			M			L			XL			XXL		
S/RACE SL	S							M						L					


SIGMA

Sigma™ is Salomon’s innovative lens solution that significantly amplifies color contrast on snow, enabling the eye to instantly read terrain variations.

A high-contrast lens cannot perform at its best in all types of environments. That’s why Salomon’s Sigma™ lens **was specifically developed to better interpret snowy terrain.**

The eye is made up of blue, green and red cones that detect different colors of light. But in a snowy environment, white light reflected from the snowy triggers all three cones and makes it hard to see detail.

Sigma™ lenses **reduce the green light** in the middle of the spectrum, therefore **boosting the blue and red light** transmitted. It offers less confusion between these 2 colors, so **the snow appears sharper, with more clarity and detail.**



REGULAR YELLOW LENS



SIGMA™ LENS



Available in category 3, 2, 1 and photochromic 1 to 3, Sigma™ lenses are the perfect solution for premium vision whatever the light conditions.





RADIUM PRO SIGMA
L47004100



RADIUM PRO SIGMA
L47015000



RADIUM PRO SIGMA
L47000100



RADIUM PRO SIGMA **NEW**
L47255400



SENTRY PRO SIGMA **NEW**
L47249600



SENTRY PRO SIGMA **NEW**
L47250400



SENTRY PRO SIGMA **NEW**
L47250300



SENTRY PRO SIGMA **NEW**
L47250200



AKSIUM 2.0 ML
L41778500

MODEL	REF.	COLOR	LENS	WEATHER	VLT (%)	FEATURES	PRICE
RADIUM PRO SIGMA	L47004100	White	Sigma Silver Pink Cat.2		36%	Mechanical lens interchangeability Custom ID Fit Tri layer face foam Silicon strap Sold with thermoformed box	
	L47015000	Race Gradient	Sigma Poppy Red Cat.2		19%		
	L47000100	Race Blue	Sigma Ice Blue Cat.2		29%		
	L47255400 NEW	Translucent Frozen	Sigma Poppy Red Cat.2		19%		
SENTRY PRO SIGMA	L47249600 NEW	White	Sigma Sky Blue Cat.3 + Sigma Silver Pink Cat.2		13% + 36%	Mechanical lens interchangeability 2 Sigma lenses included Custom ID Fit Tri layer face foam Silicon strap Sold with thermoformed box	
	L47250400 NEW	Race Black	Sigma Poppy Red Cat.2 + Sigma Ice Blue Cat.2		19% + 29%		
	L47250300 NEW	Race Blue	Sigma Sky Blue Cat.3 + Sigma Ice Blue Cat.2		13% + 29%		
	L47250200 NEW	Translucent Frozen	Sigma Poppy Red Cat.2 + Sigma Ice Blue Cat.2		19% + 29%		
AKSIUM 2.0 ML	L41778500	White	ML Mid Blue Cat.2		27%	Bi layer face foam Silicon strap	

TECHNO	WEATHER	CATEGORY	VLT	LENS NAME	RADIUM PRO	SENTRY PRO	AKSIUM 2.0	PRICE
SIGMA		1-3	13% - 43%	SIGMA PHOTO POPPY RED	L47058100 RPO55	L47388200 S055		
			12%	SIGMA BLACK GOLD	L41549800 RPO47			
			12%	SIGMA GUN METAL		L47388500 S059		
		3	12%	SIGMA SKY BLUE		L47388600 S045		
			19%	SIGMA POPPY RED	L41549900 RPO48	L47388700 S048		
			23%	SIGMA EMERALD	L41550000 RPO56			
		2	29%	SIGMA ICE BLUE	L41550100 RPO49	L47388800 S049		
			45%	SIGMA APRICOT	L41550200 RPO57	L47388900 S057		
			18% - 42%	PHOTO ML BLUE			L47390100 AM26	
		2	32%	ML MID RED	L41550400 RPO16			
FLASH		2	22%	FLASH TONIC ORANGE			L47390300 AM34	



BACK PROTECTORS

Level 1 protector
CE approved EN 1621-2



FLEXCELL PRO VEST
L47341100



FLEXCELL PRO VEST
L47341200



FLEXCELL PRO
L47340300



FLEXCELL
L47341000



FLEXCELL PRO W VEST
L47340000



FLEXCELL PRO W
L47340500

MODEL	REF.	COLOR	SIZES	FEATURES	PRICE
FLEXCELL PRO VEST	L47341100	Black	S M L XL	Flexocell 4D Waist Adjustable Velcro Strap Breathable mesh Removable back protector	
	L47341200	Race Blue	S M L XL	Flexocell 4D Waist Adjustable Velcro Strap Breathable mesh Removable back protector	
FLEXCELL PRO	L47340300	Black / White	XS S M L XL	Flexocell 4D Easy chest scratch system Waist Adjustable Velcro Strap Breathable mesh Removable Back Protector	
FLEXCELL	L47341000	Black	S M L XL	Flexocell 4D Easy chest scratch system Waist Adjustable Velcro Strap Breathable mesh Removable Back Protector	
FLEXCELL PRO W VEST	L47340000	Black	S M L	Flexocell 4D Waist Adjustable Velcro Strap Breathable mesh Removable Back Protector	
FLEXCELL PRO W	L47340500	Black / Tropical Peach	XS S M L	Flexocell 4D Easy chest scratch system Waist Adjustable Velcro Strap Breathable mesh Removable Back Protector	

HOW TO CHOOSE YOUR BACK PROTECTOR SIZE ?

FIND THE RIGHT SIZE

MAN

	S		M		L		XL	
	cm	feet/inch	cm	feet/inch	cm	feet/inch	cm	feet/inch
A	168-173	5'6" - 5'8"	173-178	5'8" - 5'9"	178-183	5'9" - 6'0"	183-188	6'0" - 6'2"
B	43-45	17" - 17 1/4"	45-48	17 1/4" - 19"	48-51	19" - 19 1/4"	51-53	19" 1/4 - 20 1/4"

WOMAN

	S		M		L	
	cm	feet/inch	cm	feet/inch	cm	feet/inch
A	161-166	5'3" - 5'5"	166-170	5'5" - 5'6"	171-176	5'6" - 5'8"
B	41-43	16" - 17"	43-45	17" - 17 3/4"	45-48	17 3/4" - 19"

JUNIOR ALPINE



GS Jr



SL Jr



MT Jr



	MODEL	REF.	COMPATIB- LITY	LENGHT (cm)	TIP (mm)	WAIST (mm)	TAIL (mm)	RADIUS (m)	PRICE
S/RACE FIS GS Jr	S/RACE FIS GS 180 24m (RP P68)	L47028700+		180	104	65	85	24	
	S/RACE FIS GS 180 24m (RP P68 and X12 Lab)	L47056400+							
	S/RACE FIS GS 173 20m (RP P68)	L47028800+		173	105	65	87	20	
	S/RACE FIS GS 173 20m (RP P68 and X12 Lab)	L47056500+							
	S/RACE FIS GS Jr 166 (RP P68 and X12 Lab)	L47056600+		166	106	65	88	18	
	S/RACE FIS GS Jr 159 (RP P68 and X12 Lab)	L47056700+		159	105	65	87	17	
	S/RACE FIS Jr GS (Jr Racetrak)	L47029200+		159	105		87		
	S/RACE FIS Jr GS (Jr Racetrak and Z10)	L47056900+		152	103	65	85	17	
	S/RACE FIS Jr GS (Jr Racetrak)	L47029300+		145	102		85	15	
	S/RACE FIS Jr GS (Jr Racetrak and Z10)	L47057000+		138	100	65	83	14	
S/RACE FIS SL Jr	S/RACE FIS Jr SL 152 (RP P68 and X12 Lab)	L47056800+		152	116	65	97	12	
	S/RACE FIS Jr SL 145 (RP P68 and X12 Lab)	L47062800+		145	113	65	94	11	
	S/RACE FIS Jr SL (Jr Racetrak)	L47029400+		152	116		97	12	
	S/RACE FIS Jr SL (Jr Racetrak and Z10)	L47057200+		145	113	65	94	11	
	S/RACE FIS Jr SL (Jr Racetrak)	L47029500+							
	S/RACE FIS Jr SL (Jr Racetrak and Z10)	L47057300+		138	109		91	10	
	S/RACE FIS Jr SL (Jr Racetrak and L7)	L47057500+		131	107	64	90	10	
S/RACE MT Jr	S/RACE MT Jr (Juniortrak and L6 GW)	L47041700+		124	106		88	9	
	S/RACE MT Jr (Juniortrak and C5 GW)	L47041800+		160	106		91	16	
				150	105		90	14	
				140	104	65	89	13	



MODEL	REF.	COLOR	SIZE (brakes)	DIN	RECO. SKIER WEIGHT (kg)	ADJUSTMENT RANGE (mm)	WEIGHT (1/2 pair in g)	PRICE
Z10	L39877900+	Black/White	B80, B90	3 -10	31 -100	28	970	
L7 GW	L41131100+	Black/White	B80, B90, B100	2 - 7.5	22 - 85	28	861	

Junior - BOOTS



MODEL	REF.	SIZE RANGE	FLEX	LAST (mm)	STRAP	WEIGHT (g)	PRICE
S/RACE 90	L47046600	22.5 - 27.5	90	92	360° 35mm (SCREWED)	1510	
S/RACE 70	L47046700	22/22.5 - 27/27.5	70	96	360° 35mm (SCREWED)	1740	
S/RACE 60T L	L47049300	22/22.5 - 26/26.5	60	KID	360° 28mm	1240	
S/RACE 60T M	L47049400	18 - 21	60	KID	NO STRAP	966	
S/MAX 65	L47343700	21/21.5 - 26/26.5	65	KID	360° 28mm	1510	

Junior - POLES



MODEL	REF.	COLOR	SIZES (cm)	WEIGHT (g)	FEATURES	PRICE
S/RACE JR SG	L47022800	Blue	80, 85, 90, 95, 100, 105, 110	230	Alu ** Shaft diameter: 15mm Junior 4 fingers grip Racing rubber grip Junior strap Interchangeable basket system Racing basket Carbide/widia tip	
S/RACE JR	L47022900	Blue	80, 85, 90, 95, 100, 105, 110	230	Alu ** Shaft diameter: 15mm Junior 4 fingers grip Racing rubber grip Junior strap Interchangeable basket system Racing basket Carbide/widia tip	

HELMETS - Junior



S/RACE FIS INJECTED JR
L47021600



METAL CHINGUARD
L78869600

MODEL	REF.	COLOR	SIZES	WEIGHT (g)	FEATURES	PRICE
S/RACE FIS INJECTED JR	L47021600	White Gra- dient	JRXXS to JRM	620g	ABS EPS4D twICEme World Cup liner FIS certified	
METAL CHINGUARD	L78869600	Black	Unique	-	Compatible with S/RACE FIS INJECTED JR	

HOW TO CHOOSE THE RIGHT HELMET SIZE?

JUNIOR FIT & SIZING	52	52.5	53	53.5	54	54.5	55	55.5	56	56.5	57	57.5
S/RACE FIS INJECTED JR	JR XXS			JR XS			JR S			JR M		

GOGGLES - Junior



AKSIUM 2.0S PHOTO
L41783400



AKSIUM 2.0S PHOTO
L41783500



AKSIUM 2.0S ML
L41783900



AKSIUM 2.0S
L41784400

MODEL	REF.	COLOR	LENS	WEATHER	VLT (%)	FEATURES	PRICE
AKSIUM 2.0 S PHOTO ML	L41783400	White	Photo ML Blue Cat.1-3		18% - 42 %	Bi layer face foam Silicon strap	
	L41783500	Black Race					
AKSIUM 2.0 S ML	L41783900	Race Blue	ML Mid Blue Cat.2		27 %	Bi layer face foam Silicon strap	
AKSIUM 2.0 S FLASH	L41784400	Race Blue	Flash Yellow Cat.1		68 %	Bi layer face foam Silicon strap	

EXTRA LENS - Junior

TECHNO	WEATHER	CATEGORY	VLT	LENS NAME	AKSIUM 2.0 S	PRICE
MULTILAYER		2	32%	ML MID RED	L47390400 AS16	
FLASH		2	22%	FLASH TONIC ORANGE	L47390500 AS34	

Junior - BACK PROTECTORS



FLEXCELL PRO VEST JR **NEW**
L47340700



FLEXCELL PRO VEST JR **NEW**
L47340800



FLEXCELL PRO JR **NEW**
L47340900




FLEXCELL JR **NEW**
L47341400

MODEL	REF.	COLOR	SIZES	FEATURES	PRICE
FLEXCELL PRO VEST JR NEW	L47340700	Black	JS JM JL JXL	Flexcell 4D Waist Adjustable Velcro Strap Breathable mesh Removable Back Protector	
	L47340800	Race Blue			
FLEXCELL PRO JR NEW	L47340900	Black / Flame	JS JM JL JXL	Flexcell 4D Easy chest scratch system Waist Adjustable Velcro Strap Breathable mesh Removable Back Protector	
FLEXCELL JR NEW	L47341400	Black	JS JM JL JXL	Flexcell 4D Easy chest scratch system Waist Adjustable Velcro Strap Breathable mesh Removable Back Protector	

HOW TO CHOOSE YOUR BACK PROTECTOR SIZE ?

FIND THE RIGHT SIZE



JUNIOR



	JS		JM		JL		JXL	
	cm	feet/inch	cm	feet/inch	cm	feet/inch	cm	feet/inch
A	117 -128	3'9" - 4'2"	129 -140	4'2" - 4'7"	140 -152	4'7" - 5'1"	153 -164	5'1" - 5'4"
B	28 -31	11" - 12 ¼"	31 -34	12 ¼" - 13 ½"	34 -37	13 ½" - 14 ½"	37 -40	14 ½" - 15 ½"

DISCIPLINE	GENDER	SKI LENGTH MINIMUM Ski length measure- ment tolerance of +/-5 cm	RADIUS MINIMUM	PROFILE WIDTH Under binding	PROFILE WIDTH In front of binding	MAXIMUM STAND HEIGHT Ski, plate, binding
------------	--------	--	----------------	--------------------------------	--------------------------------------	--

WC / EC / COC / FIS MEN AND WOMEN

DH	Men	218 cm ★	50 m ★	<= 65 mm	<= 95 mm	50 mm
DH	Women	210 cm ★	50 m ★	<= 65 mm	<= 95 mm	50 mm
SG	Men	210 cm ★	45 m	<= 65 mm	<= 95 mm	50 mm
SG	Women	205 cm ★	40 m	<= 65 mm	<= 95 mm	50 mm
GS	Men	195 cm ★	30 m	<= 65 mm	<= 95 mm	50 mm
GS	Women	188 cm ★	30 m	<= 65 mm	<= 95 mm	50 mm
SL	Men	165 cm ★	-	>= 63 mm	-	50 mm
SL	Women	155 cm	-	>= 63 mm	-	50 mm

* -5 cm tolerance for FIS and ENL * Radius measurement for DH skis with a preparation tolerance of -1 m * -10 cm tolerance for men U18 (Junior)

U14 (K1) + U16 (K2)

SG	U14 Men / Women	-	-	<= 65 mm	<= 95 mm	50 mm
SG	U16 Men / Women	>= 183 cm	30 m min.	<= 65 mm	<= 95 mm	50 mm
GS	U14 Men / Women	<= 188 cm	17 m min.	<= 65 mm	<= 103 mm	50 mm
GS	U16 Men / Women	<= 188 cm	17 m min.	<= 65 mm	<= 103 mm	50 mm
SL	U14 Men / Women	>= 130 cm	-	-	-	50 mm
SL	U16 Men / Women	>= 130 cm	-	-	-	50 mm


$> = \text{minimum} / < = \text{maximum}$

U14 (K1) + U16 (K2)

SG	Men	> = 185 cm ★	-	-	-	50 mm
SG	Women	> = 180 cm ★	-	-	-	50 mm
	GS skis are allowed!					
GS	Men	> = 185 cm ★	-	-	-	50 mm
GS	Women	> = 180 cm ★	-	-	-	50 mm
SL	Men	-	-	-	-	50 mm
SL	Women	-	-	-	-	50 mm

* no tolerance * -5cm tolerance

The FIS recommendations and rules for ski length, radius and profile width can be found in the current FIS Specifications for Competition Equipment!
www.fis-ski.com

MODEL	PLATE	COMPATIBILITY BINDINGS	COMPATIBILITY SKIS
RACE PLATE P99		ICON	S/RACE FIS DH
RACE PLATE P98		ICON	S/RACE FIS SL 165 S/RACE FIS SL 157
RACE PLATE P97		ICON	S/RACE FIS GS 193 S/RACE FIS GS 188
RACE PLATE P73		X LAB	S/RACE GS 12 S/RACE SL 12 S/RACE GS PRO S/RACE SL PRO
RACE PLATE P68		X LAB	S/RACE FIS GS 173/180/187 S/RACE FIS SG 200/207/212 S/RACE FIS GS Jr 159/166 S/RACE FIS SL 155/157/165 S/RACE FIS SL Jr 152/145 S/RACE PRIME GS 176/183 S/RACE PRIME SL 165 S/RACE SG FIS 185/192 S/RACE GS PRO S/RACE SL PRO
RACETRAK Jr		L7 Z10	S/RACE FIS Jr GS S/RACE FIS Jr SL
JUNIORTRAK		L6 C5	S/RACE MT Jr

PLATES MOUNTING GUIDE

Adult - RACE PLATE

ICON			X20 LAB			X16 LAB			X12 LAB		
SOLE LENGHT (mm)	POSITION TOE	POSITION HEEL	SOLE LENGHT (mm)	POSITION TOE	POSITION HEEL	SOLE LENGHT (mm)	POSITION TOE	POSITION HEEL	SOLE LENGHT (mm)	POSITION TOE	POSITION HEEL
Refer to the marks on the ski's topsheet			260 - 295	S	S	264 - 314	S	S	264 - 314	S	S
			260 - 304	M	S	282 - 314	M	S	282 - 314	M	S
			295 - 325	M	M	296 - 343	M	M	296 - 343	M	M
			318 - 353	M	L	314 - 360	M	L	314 - 360	M	L



ALPINE BOOT SOLE LENGTH



BOOT FRANCHISE	FOOT LENGTH RANGE (mm)	MONDO	EURO	UK	US	BOOT SOLE LENGTH (mm)
S/RACE² & S/RACE S/RACE 90 JR S/RACE 70 JR	220 - 229mm	22 - 22,5	35 - 36	2,5 - 3	4 - 4,5	265
	230 - 239mm	23 - 23,5	36 2/3 - 37	4 - 4,5	5,5 - 6	275
	240 - 249mm	24 - 24,5	38 - 39	5 - 5,5	6,5 - 7	285
	250 - 259mm	25 - 25,5	39 2/3 - 40 1/3	6 - 6,5	7,5 - 8	295
	260 - 269mm	26 - 26,5	41 - 42	7,5 - 8	9 - 9,5	305
	270 - 279mm	27 - 27,5	42 2/3 - 43 1/3	8,5 - 9	10 - 10,5	315
	280 - 289mm	28 - 28,5	44 - 45	9,5 - 10	11 - 11,5	325
S/PRO ALPHA	220 - 229mm	22 - 22,5	35 - 36	2,5 - 3	4 - 4,5	264
	230 - 239mm	23 - 23,5	36 2/3 - 37	4 - 4,5	5,5 - 6	274
	240 - 249mm	24 - 24,5	38 - 39	5 - 5,5	5,5 - 6,5	284
	250 - 259mm	25 - 25,5	39 2/3 - 40 1/3	6 - 6,5	6,5 - 8	294
	260 - 269mm	26 - 26,5	41 - 42	7,5 - 8	8 - 9	304
	270 - 279mm	27 - 27,5	42 2/3 - 43 1/3	8,5 - 9	9 - 11,5	314
	280 - 289mm	28 - 28,5	44 - 45 2/3	9,5 - 10	10,5 - 11,5	324
	290 - 299mm	29 - 29,5	45 2/3 - 47	9,5 - 10	11,5 - 12,5	334
S/PRO SUPRA	240 - 249mm	24 - 24,5	38 - 39	5 - 5,5	6,5 - 7	284
	250 - 259mm	25 - 25,5	39 2/3 - 40 1/3	6 - 6,5	7,5 - 8	294
	260 - 269mm	26 - 26,5	41 - 42	7,5 - 8	9 - 9,5	304
	270 - 279mm	27 - 27,5	42 2/3 - 43 1/3	8,5 - 9	10 - 10,5	314
	280 - 289mm	28 - 28,5	44 - 45	9,5 - 10	11 - 11,5	324
	290 - 299mm	29 - 29,5	45 2/3 - 46 1/3	11 - 11,5	12,5 - 13	334
	300 - 309mm	30 - 30,5	47 - 48 2/3	12 - 12,5	13,5 - 14	344
	310 - 319mm	31 - 31,5	48 2/3 - 49	13 - 14	15,5 - 15,5	354
SHIFT PRO	220 - 229mm	22 - 22,5	35 - 36	2,5 - 3	3 - 3,5	266
	230 - 239mm	23 - 23,5	36 2/3 - 37	4 - 4,5	4,5 - 5	276
	240 - 249mm	24 - 24,5	38 - 39	5 - 5,5	5,5 - 6	286
	250 - 259mm	25 - 25,5	39 2/3 - 40 1/3	6 - 6,5	7,5 - 8	296
	260 - 269mm	26 - 26,5	41 - 42	7,5 - 8	9 - 9,5	306
	270 - 279mm	27 - 27,5	42 2/3 - 43 1/3	8,5 - 9	10 - 10,5	316
	280 - 289mm	28 - 28,5	44 - 45	9,5 - 10	11 - 11,5	326
	290 - 299mm	29 - 29,5	45 2/3 - 46 1/3	11 - 11,5	12,5 - 13	336
	300 - 309mm	30 - 30,5	47 - 48	12 - 12,5	13,5 - 14	356
	310 - 319mm	31 - 31,5	48 2/3 - 49	13 - 14	15,5 - 15,5	356
S/LAB MTN	240 - 249mm	24 - 24,5	38 - 39	5 - 5,5	6,5 - 7	281
	250 - 259mm	25 - 25,5	39 2/3 - 40 1/3	6 - 6,5	7,5 - 8	291
	260 - 269mm	26 - 26,5	41 - 42	7,5 - 8	9 - 9,5	301
	270 - 279mm	27 - 27,5	42 2/3 - 43 1/3	8,5 - 9	10 - 10,5	311
	280 - 289mm	28 - 28,5	44 - 45	9,5 - 10	11 - 11,5	321
	290 - 299mm	29 - 29,5	45 2/3 - 46 1/3	11 - 11,5	12,5 - 13	331
S/LAB MTN SUMMIT	220 - 229mm	22 - 22,5	35 - 36	2,5 - 3	3 - 3,5	248
	230 - 239mm	23 - 23,5	36 2/3 - 37	4 - 4,5	4,5 - 5	258
	240 - 249mm	24 - 24,5	38 - 39	5 - 5,5	6,5 - 7	268
	250 - 259mm	25 - 25,5	39 2/3 - 40 1/3	6 - 6,5	7,5 - 8	278
	260 - 269mm	26 - 26,5	41 - 42	7,5 - 8	9 - 9,5	288
	270 - 279mm	27 - 27,5	42 2/3 - 43 1/3	8,5 - 9	10 - 10,5	298
	280 - 289mm	28 - 28,5	44 - 45	9,5 - 10	11 - 11,5	308
	290 - 299mm	29 - 29,5	45 2/3 - 46 1/3	11 - 11,5	12,5 - 13	318
	300 - 309mm	30 - 30,5	47 - 48	12 - 12,5	13,5 - 14	328


ALPINE BOOT SOLE LENGTH

BOOT FRANCHISE	FOOT LENGTH RANGE (mm)	MONDO	EURO	UK	US	BOOT SOLE LENGTH (mm)
JUNIOR S/RACE 60T L S/RACE 60T M S/MAX 65	180 - 189mm	18 - 18,5	29 - 30	11,5K - 12K	12 - 12,5	235
	190 - 199mm	19 - 19,5	30 2/3 - 31 1/3	12,5K - 13K	13 - 13,5	235
	200 - 209mm	20 - 20,5	32 - 33	13,5K - 1	1 - 1,5	246
	210 - 219mm	21 - 21,5	33 2/3 - 34 1/3	1,5 - 2	2 - 2,5	255
	220 - 229mm	22 - 22,5	35 - 36	2,5 - 3	3 - 3,5	265
	230 - 239mm	23 - 23,5	36 2/3 - 37	4 - 4,5	4,5 - 5	275
	240 - 249mm	24 - 24,5	38 - 39	5 - 5,5	5,5 - 6	285
	250 - 259mm	25 - 25,5	39 2/3 - 40 1/3	6 - 6,5	6,5 - 7	295
	260 - 269mm	26 - 26,5	41 - 42	7,5 - 8	8 - 8,5	305

ALPINE RECOMMENDATION

CM	KG	GS	SIZE	SL	SIZE	BINDINGS	BOOTS		
U8 Age 6-7	60 - 70	23 - 27	S/RACE FIS JUNIOR GS	124 / 131	S/RACE FIS JUNIOR SL	124	L7	S/RACE 60 T	
	70 - 80	27 - 32		124 / 131		124			
	80 - 90	32 - 36		131 / 138		124 / 131			
U10 Age 8-9	90 - 100	36 - 41	S/RACE FIS JUNIOR GS	138 / 145	S/RACE FIS JUNIOR SL	124 / 131	L7	S/RACE 60 T	
	100 - 110	41 - 45		145 / 152		131 / 145			
	110 - 120	> 45 kg		152		138			
U12 Age 10-11	120 - 130	> 35 kg		138		131	Z10	S/MAX 65	
	130 - 140			145 / 152					
	90 - 100	36 - 41	S/RACE FIS JUNIOR GS	138 / 145	S/RACE FIS JUNIOR SL	124 / 131	L7	S/RACE 60 T	
	100 - 110	41 - 45		145 / 152		131 / 145			
	110 - 120	> 45 kg		152		138			
U14 Age 12-13	130 - 140	> 40 kg	S/RACE FIS JUNIOR GS	166 / 173	S/RACE FIS JUNIOR SL	138 / 145	Z10 X12 LAB	S/RACE 70	
	140 - 150	> 50 kg		173		152	X12 LAB	S/RACE 90	
	150 - 160								
	160 - 170								155
U16 Age 14-15	150 - 160	> 50 kg	S/RACE FIS JUNIOR GS	173 / 180	S/RACE FIS JUNIOR SL	152 / 155	X12 LAB	S/RACE 90	
	160 - 170	> 60 kg		S/RACE FIS GS		180	155 / 157	X12 LAB X16 LAB ICON 24	S/RACE 110
	170 - 180		187 27m		S/RACE FIS SL	157 / 165			S/RACE 130
	180 - 190								
FIS W Age 16 +	150 - 160	> 55 kg	S/RACE FIS GS	188 30m	S/RACE FIS SL	157	X12 LAB X16 LAB ICON 24 ICON 30	S/RACE 110 S/RACE 130	
	160 - 170								
	170 - 180								
FIS M Age 16 +	150 - 160	> 65 kg	S/RACE FIS GS	193 30m	S/RACE FIS SL	165	X12 LAB X16 LAB ICON 24 ICON 30	S/RACE 130 S/RACE 140	
	160 - 170								
	170 - 180								
	180 - 190								
DH M DH W SG	S/RACE DHm		218		ICON 24 ICON 30	X16 Lab X19 Lab X20 Lab	S/RACE 110 S/RACE 130 S/RACE 140		
	S/RACE DHw		215						
	S/RACE SG FIS		185 / 192 / 200 / 207 / 212						

CLUBLINE



RAIN COAT
LC1990600



COACH OUTER JACKET
LC1990000



COACH BIB PANT
LC1991100



ALPINE SHELL TRAINING JACKET
LC1991200



ALPINE TRAINING SHORT
LC1991000



SUIT JERSEY
LC1990700



SHELL JACKET
LC1990800



LIGHT VEST
LC1990500



SUIT TIGHT
LC1990300



TRAINING ZIP PANT
LC1990400



TRAINING SHORT
LC1990200

MODEL	REF.	SIZES	PRICE
RAIN COAT	LC1990600	XS , S, M, L, XL, XXL	
COACH OUTER JACKET	LC1990000	S , M, L, XL, XXL	
COACH BIB PANT	LC1991100	S, M, L, XL, XXL	
ALPINE SHELL TRAINING JACKET	LC1991200		
ALPINE TRAINING SHORT	LC1991000	U10 -140 cm	
SUIT JERSEY	LC1990700	U12 -152 cm	
SHELL JACKET	LC1990800	XS -164 cm	
LIGHT VEST	LC1990500	S -170 cm	
SUIT TIGHT	LC1990300	M -175 cm	
TRAINING ZIP PANT	LC1990400	L -180 cm	
TRAINING SHORT	LC1990200	XL -185 cm	



SKI SLEEVE
LC1989800



ALP SKI SLEEVES X4
LC1989900



SKI TRIP PADDED
LC1921100



TROLLEY BAG
LC1440400



RIFFLE BAG **NEW**
LC2080000




POLE TUBE 10 PAIRS
LC1440200



POLE TUBE 4 PAIRS
LC1439700

MODEL	REF.	COLOR	WEIGHT (g)	LENGTH (cm)	VOLUME (L)	PRICE
SKI SLEEVE	LC1989800	Race Blue	410	222	140	
ALP SKI SLEEVES X4	LC1989900	Race Blue	3400	235	-	
SKI TRIP PADDED	LC1921100	Navy Peony / Night Sky	1500	195	-	
TROLLEY BAG	LC1440400	Black	5000	221	120	
RIFFLE BAG NEW	LC2080000	Race Blue	220	69	102	
POLE TUBE 10 PAIRS	LC1440200	Black	2000	160	50	
POLE TUBE 4 PAIRS	LC1439700	Black	1490	150	47	



TRAVEL BAG 130L **NEW**
LC2094800



CONTAINER 100L
LC1989700



CABIN CONTAINER 70L
LC1989500



XC BOOT BAG **NEW**
LC2093700



DUFFLE BAG
LC1989400



GO TO SNOW 90L **NEW**
LC2152100



GO TO SNOW 50L
LC1989300



GO TO SNOW 45L
LC1989600



JUMBO BAG
LC1439900



THERMOBELT
LC1989200

MODEL	REF.	COLOR	VOLUME (L)	PRICE
TRAVEL BAG 130L NEW	LC2094800	Race Blue	130	
CONTAINER 100L	LC1989700	Race Blue	100	
CABIN CONTAINER 70L	LC1989500	Race Blue	33	
XC BOOT BAG NEW	LC2093700	Race Blue	-	
DUFFLE BAG	LC2095100	Race Blue	70	
GO TO SNOW 90L NEW	LC2152100	Race Blue	90	
GO TO SNOW 50L	LC1989300	Race Blue	50	
GO TO SNOW 45L	LC1989600	Race Blue	45	
JUMBO BAG	LC1439900	Black	132	
THERMOBELT	LC1989200	Race Blue	1.2	