

AMD
SPORTS
www.amdsports.ru

VÄIKI **MÄRKER** **DALBELLO**



2026 / 2027

**RACE
COLLECTION**



XX
VÖLKL
RACE
DEPT

CONTENT

PRODUCT OVERVIEW	04
SKI RECOMMENDATION	10
VÖLKL SKIS	12
- KIDS (U6-U12)	14
- JUNIORS (U14-U16)	16
- FIS (U18-U21)	18
- SKICROSS	20
MARKER BINDINGS	30
DALBELLO BOOTS	36
TECHNOLOGIES	44
ACCESSOIRES	50
WE ARE VÖLKL	54

VÖLKL



RACETIGER SL R JR

NEW



RACETIGER SL R FIS



RACETIGER GS R JR



RACETIGER SL R JR

NEW



RACETIGER GSL R JR



RACETIGER GS R



RACETIGER GS R JR



RACETIGER SG R JR



RACETIGER SL R WC FIS



RACETIGER SL R FIS



RACETIGER GS R WC FIS



RACETIGER SG R WC FIS FLAT



RACETIGER DH R WC FIS FLAT






RACETIGER SX R WC



RACETIGER GS R

MARKER



DALBELLO



DRS WC XS



DRS WC XS J



DRS WC S



DRS WC SS



DRS WC H



DRS WC M



DRS WC H



DRS WC M



DRS 90 LC



DRS 75



DRS WC XS



DRS WC S



DRS WC SS



DRS WC S



DRS WC SS



DRS 60

SKI RECOMMENDATION

MEN

	U12	U14	U16	U18
GS MODEL	RT GS R JR	RT GS R JR RT GS R	RT GS R	RT GS R WC FIS
SKI LENGTH	151cm, 158cm, 165cm, 170cm	170cm, 174cm, 178cm, 183cm	183cm, 188cm	188cm, 193cm
ARTICLE CODE	V2610810.000	V2610810.000 V2610821.000	V2610821.000	V2610861.000
SL MODEL	RT SL R JR	RT SL R JR RT SL R FIS	RT SL R FIS	RT SL R WC FIS
SKI LENGTH	136cm, 143cm, 150cm, 152cm	152cm, 155cm, 157cm	157cm, 165cm	165cm
ARTICLE CODE	V2610800.000 V2610801.000	V2610801.000 V2610841.000	V2610841.000	V2610851.000
SG MODEL	RT SG R JR	RT SG R JR	RT SG R JR	RT SG R WC FIS
SKI LENGTH	183cm	183cm, 192cm	203cm	206cm, 211cm
ARTICLE CODE	V2510830.000 (FLAT)	V2510830.000 (FLAT)	V2510830.000 (FLAT)	V2510870.000 (FLAT)

WOMEN

	U12	U14	U16	U18
GS MODEL	RT GS R JR	RT GS R JR RT GS R	RT GS R	RT GS R WC FIS
SKI LENGTH	151cm, 158cm, 165cm, 170cm	158cm, 165cm, 170cm, 174cm, 178cm	178cm, 183cm, 188cm	188cm
ARTICLE CODE	V2610810.000	V2610810.000 V2610821.000	V2610821.000	V2610861.000
SL MODEL	RT SL R JR	RT SL R JR RT SL R FIS	RT SL R FIS	RT SL R WC FIS
SKI LENGTH	136cm, 143cm, 150cm, 152cm	152cm, 155cm	155cm, 157cm	155cm, 157cm
ARTICLE CODE	V2610800.000 V2610801.000	V2610801.000 V2610841.000	V2610841.000	V2610851.000
SG MODEL	RT SG R JR	RT SG R JR	RT SG R JR	RT SG R WC FIS
SKI LENGTH	183cm	183cm, 192cm	203cm	200cm, 208cm
ARTICLE CODE	V2510830.000 (FLAT)	V2510830.000 (FLAT)	V2510830.000 (FLAT)	V2510870.000 (FLAT)



V Ö L K L
SKIS



U 6 - U 12

KIDS

PAGE	MODEL	ART.NO. (FLAT)	ART.NO. (W/PLATE)
23-25	SKIS:		
	Racetiger SL R JR		V2610800.000 V2610801.000
	Racetiger GS R JR Racetiger GSL R JR		V2610810.000 V2610802.000

PAGE	MODEL	ART.NO.
32-35	BINDINGS & PLATES:	
	Comp 12	6820Y1.MS
	Comp 10 TCX	6520Y1.MT
	Comp 10	6520Y1.MS
	Comp Junior 8	6320Y1.MS
	WC PC Interface 10mm	2020Y1.SS

PAGE	MODEL	ART.NO.
38-40	BOOTS:	
	DRS WC XS	D2501005.00
	DRS XS J	D2501006.00
	DRS 90 LC	D2502004.00
	DRS 75	D2502005.00
	DRS 60	D5302006.00



VÖLKL
RACE
DEPT

U14 - U16

JUNIORS

PAGE	MODEL	ART.NO. (FLAT)	ART.NO. (W/PLATE)
22-27	SKIS:	Racetiger SL R FIS	V2610840.000
		Racetiger SL R JR	V2610800.000 V2610801.000
	Racetiger GS R	V2610820.000	V2610821.000
	Racetiger GS R JR		V2610810.000
	Racetiger SG R JR	V2510830.000	

32-35	BINDINGS & PLATES:	MODEL	ART.NO
		Comp 16 RD	7116A1.MS
		Comp 16	6920Y1.MS
		Comp 12	6820Y1.MS
		WC PC Interface 10mm	2020Y1.SS
		WC PC Interface 14mm	2022Y1.SS

38-40	BOOTS:	MODEL	ART.NO
		DRS WC S	D2501003.00
		DRS WC SS	D2501004.00
		DRS WC XS	D2501005.00



U 18 - U 21

FIS

PAGE	MODEL	ART.NO. (FLAT)	ART.NO. (W/PLATE)
22-27	SKIS:		
	Racetiger SL R WC FIS	V2610850.000	V2610851.000
	Racetiger SL R FIS	V2610840.000	V2610841.000
	Racetiger GS R WC FIS	V2610860.000	V2610861.000
	Racetiger SG R WC FIS	V2510870.000	
	Racetiger DH R WC FIS	V2510880.000	

32-35	MODEL	ART.NO
BINDINGS & PLATES:	Comp 30 RD	7130Z1.MS
	Comp 20 RD	7120Z1.MS
	Comp 16 RD	7116A1.MS
	Comp 16	6920Y1.MS
	WC PC Interface 10mm	2020Y1.SS
	WC PC Interface 14mm	2022Y1.SS
	Alu Pro Plate	2030S1.MP

38-40	MODEL	ART.NO
BOOTS:	DRS WC H	D2501001.00
	DRS WC M	D2501002.00
	DRS WC S	D2502003.00
	DRS WC SS	D2502004.00

VÖLKL
RACE
DEPT



SKICROSS

PAGE	MODEL	ART.NO. (FLAT)	ART.NO. (W/PLATE)
24-26	SKIS:	Racetiger SX R WC	V2610890.000
		Racetiger GS R	V2610820.000

32-35	BINDINGS & PLATES:	MODEL	ART.NO
		Comp 30 RD	7130Z1.MS
		Comp 20 RD	7120Z1.MS
		Comp 16 RD	7116A1MS
		Comp 16	6920Y1.MS
		WC PC Interface 10mm	2020Y1.SS

38-40	BOOTS:	MODEL	ART.NO
		DRS WC H	D2501001.00
		DRS WC M	D2501002.00
		DRS WC S	D2502003.00
		DRS WC SS	D2502004.00



INFO
OPTIONAL:
BINDING
AVAILABLE IN
2 VERSIONS

**RACETIGER
SL R WC FIS**



ART. NO. V2610850.000 (FLAT)
V2610851.000 (w/plate)

SIDECUT LENGTH (RADIUS)
117.5_65_97 155 (11.83 m)
(10mm WC Plate)
114.5_65_98 157 (12 m)
(10mm WC Plate)
118.5_65_101 165 (12 m)
(14mm WC Plate)

WEIGHT 2330 g* @ 165 cm (w/plate)

TECHNOLOGY Tailored Carbon Tip
3D. Glass
Full Sidewall ABS (155, 157)
Full Sidewall Phenol (165)
Full Titanal
Race Finish SL 0,7° / 87,6° (V2610851.000)
Base: P-Tex 2510
Zebra structure (V2610851.000)

CORE Worldcup Woodcore
Ash / Poplar 50 / 50

REC. BINDING Marker Comp 16
Marker Comp 16 RD / 20 RD / 30 RD

REC. USE FIS Men EC/FIS & Master
Lady EC/FIS & Master

COMPLYING FIS Men WC/EC/FIS (165)
Men FIS 1st year
Lady WC/EC/FIS
U14/16
Master



INFO
OPTIONAL:
BINDING
AVAILABLE IN
2 VERSIONS

**RACETIGER
SL R FIS**



V2610840.000 (FLAT)
V2610841.000 (w/plate)

117.5_65_97 155 (11.83 m)
(10mm WC Plate)
114.5_65_98 157 (12 m)
(10mm WC Plate)
118.5_65_101 165 (12 m)
(14mm WC Plate)

2230 g* @ 165 cm (w/plate)

Tailored Carbon Tip
3D. Glass
Full Sidewall ABS
Full Titanal
Race Finish SL 0,7° / 87,6°
Base: P-Tex 4504 / Zebra structure

Multilayer Woodcore
Beech / Poplar 66 / 33

Marker Comp 16
Marker Comp 16 RD / 20 RD / 30 RD

Men FIS & U14/16 & Master
Lady FIS & U14/16 & Master

Men WC/EC/FIS (165)
Men FIS 1st year
Lady WC/EC/FIS
U14/16
Master

* Weight can vary slightly due to the production cycles.



INFO
OPTIONAL:
BINDING
AVAILABLE IN
2 VERSIONS

**RACETIGER
SL R JR**



ART. NO. V2610800.000 (w/plate)
V2610801.000 (w/wc plate)

SIDECUT LENGTH (RADIUS)
114_64_93 122 (7 m) (JR Plate S)
115_64.5_94 129 (8 m) (JR Plate S)
116_65_95 136 (9 m) (JR Plate L)
117_65_96 143 (10 m) (JR Plate L)
118_65_97 150 (12 m) (JR Plate L),
152 (12 m) (WC Plate
V2610801.000)

WEIGHT 1180 g* @ 122 cm (w/plate)

TECHNOLOGY Full Sidewall ABS
Torsional Soft Tip (122, 129, 136)
Full Titanal
Grown Layup
3D.GLASS (136, 143, 150, 152)
Additional glass layer (152)
Base: P-Tex 2510 / Zebra structure

CORE Multilayer Woodcore
Beech / Poplar 50 / 50 (122cm-129cm)

Tailored Torsion Woodcore
Beech / Poplar 66 / 33 (136cm-150cm)
Beech / Poplar / Ash 66 / 33 (152cm)

REC. BINDING Marker Comp 10 / 12,
Marker Comp 10 TCX, Marker Comp JR 8

REC. USE FIS Junior
U14 (152)

COMPLYING FIS U14/16 (136-152)
Junior (national rules may apply)
Master



INFO
OPTIONAL:
BINDING

**RACETIGER
GSL R JR**



V2610802.000


111_65_91 118 (7,5 m)
(JR Plate S)

1050 g* @ 118 cm (w/plate)

Full Sidewall ABS
Glass Layer
Base: P-Tex 4504 / Zebra structure

Multilayer Woodcore
Beech / Poplar 50 / 50

Marker Comp JR 8



**RACETIGER
GS R WC FIS**

ART. NO. V2610860.000 (FLAT)
V2610861.000 (w/plate)

SIDECUT LENGTH (RADIUS)
99_65.5_83 188 (30 m)
99.5_65.5_84.3 193 (30 m)

WEIGHT 2750 g* @ 193 cm (w/plate)

TECHNOLOGY Tailored Carbon Tip
Full Sidewall Phenol
Full Titanal
Race Finish GS 1.1° / 87.6° (V2610861.000)
Base: P-Tex 2510
Zebra structure (V2610861.000)

CORE Worldcup Ash Woodcore
Ash 100%

REC. BINDING Marker Comp 16,
Marker Comp 16 RD / 20 RD / 30 RD

REC. USE FIS Men EC/FIS (193)
Lady EC/FIS (188)
Master

COMPLYING FIS Men WC/EC/FIS (193)
Men FIS
Lady WC/EC/FIS
U14/16 (188)
Master



**RACETIGER
GS R**

V2610820.000 (FLAT)
V2610821.000 (w/plate)

104_64.5_87 174 (21 m)
104_64.5_87 178 (23 m)
102_64.5_86 183 (25 m)
101_64.5_85 188 (27.5 m)

2330 g* @ 183 cm (w/plate)

Tailored Carbon Tip
Full Sidewall ABS
Full Titanal
Race Finish GS 1.1° / 87.6°
Base: P-Tex 4504
Zebra structure

Multilayer Woodcore
Beech / Poplar 73 / 27

Marker Comp 12 / 16
Marker Comp 16 RD

U14/16 Men
U14/16 Lady
Master

U14/16
Master Lady (178, 183, 188)
Master Men (183, 188)

* Weight can vary slightly due to the production cycles.



**RACETIGER
GS R JR**

ART. NO. V2610810.000

SIDECUT LENGTH (RADIUS)
102_65_84 130 (12 m) (JR Plate S)
102_65_84 137 (14 m) (JR Plate L)
102_65_84 144 (15 m) (JR Plate L)
102_65_84 151 (17 m) (JR Plate L)
104_65_86 158 (17 m) (JR Plate L)
106_64_87 165 (18 m) (JR Plate L)
106_64_87 170 (19 m) (JR Plate L)

WEIGHT 1750 g* @ 170 cm (w/o binding)

TECHNOLOGY Full Sidewall ABS
Full Titanal
Grown Layup
Base: P-Tex 4504
Zebra structure

CORE Multilayer Woodcore
Beech / Poplar 50 / 50 (130 cm - 151 cm)
Beech / Poplar 73 / 27 (158 cm - 170 cm)

REC. BINDING Marker Comp 10 / 12,
Marker Comp 10 TCX, Marker Comp JR 8

REC. USE FIS U14/16 (151-170)
Juniors (national rules may apply)

COMPLYING FIS U14/16 (151-170)
Juniors (national rules may apply)



**RACETIGER
SX R WC**



ART. NO. V2610890.000 (FLAT)

SIDECUT LENGTH (RADIUS) 101_64.5_85 188 (>=27 m)
99.5_65_84.25 193 (>=30 m)

WEIGHT 1979g @ 188cm (FLAT)

TECHNOLOGY Full Sidewall Phenol
Full Titanal
Base: P-TEX 2510
Skicross Tip

CORE World Cup Ash Woodcore
Ash 100%

REC. BINDING Marker Comp 16,
Marker Comp 16 RD / 20 RD / 30 RD

REC. USE FIS Skicross

COMPLYING FIS Skicross & Master



**RACETIGER
DH R WC FIS**



V2510880.000 (FLAT)

90.5_65_78 210 (>=50)
90.1_65_78 213 (>=50)
93.5_65_77.8 218 (>=50)

2570g @ 213cm (FLAT)

Full Sidewall ABS 210, 213
Full Sidewall Phenol 218
Full Titanal
Base: P-TEX 2510

World Cup Ash Woodcore
Ash 100%

Marker Comp 16,
Marker Comp 16 RD / 20 RD / 30 RD

Men WC/EC/FIS (218)
Lady WC/EC/FIS (210, 213)

Men WC/EC/FIS (218)
Men FIS (213, 218)
Lady WC/EC/FIS



**RACETIGER
SG R WC FIS**



V2510870.000 (FLAT)

SIDECUT LENGTH (RADIUS) 93_65_80,0 200 (>=40)
93_65_77.5 206 (>=45)
95_65_81.5 208 (>=40)
93.5_65_79 211 (>=45)

WEIGHT 2360g @ 208cm (FLAT)

TECHNOLOGY Full Sidewall ABS 200,206,208
Full Sidewall Phenol 211
Full Titanal
Base: P-TEX 2510

CORE World Cup Ash Woodcore
Ash 100%

REC. BINDING Marker Comp 16,
Marker Comp 16 RD / 20 RD / 30 RD

REC. USE FIS Men WC/EC (211)
Men FIS (206, 211)
Lady WC/EC (208)
Lady FIS (200, 208)
Master (200, 208)

COMPLYING FIS Men EC/WC (211)
Men FIS (206, 211)
Lady EC/WC (206, 208, 211)
Lady FIS
Master



**RACETIGER
SG R JR**



V2510830.000 (FLAT)

96.5_65_83 183 (30)
100_65_84 192 (30)
99_64.5_84 203 (30)

2070 g @ 192cm (FLAT)

Full Sidewall ABS
Full Sidewall Phenol (192)
Full Titanal
Base: P-TEX 4505 (183)
P-TEX 2510 (192, 203)

Worldcup Woodcore (183, 203)
Worldcup Ash Woodcore (192)

Marker Comp 16,
Marker Comp 16 RD / 20 RD

U14 (192, 203)
U16 (203)
Junior
Master Men (192, 203)
Master Lady

U14/16
Junior (national rules may apply)
Master Men (192, 203)
Master Lady

SKI COMPARISON


	CORE	TITANAL	FINISH	REC. TUNING*	ROCKER
RT SL R JR V2610800.000 (W/PLATE) V2610801.000 (W/WC PLATE)	Multilayer Woodcore 50/50 (122cm-129cm)	2 layers of Titanal	Serial Tuning	Base 1,0°; Side 87°	Tip Rocker
	Tailored Torsion Woodcore 50/50 (136cm-152cm)				
RT GS R JR V2610810.000	Multilayer Woodcore 50/50 (130cm-151cm) 66/33 (158cm-170cm)	2 layers of Titanal	Serial Tuning	Base 1,0°; Side 87°	Tip Rocker
RT SL R FIS V2610840.000 (FLAT) V2610841.000 (W/PLATE)	Multilayer Woodcore 66/33	2 layers of Titanal	Race Finish 2	Base 0,5°; Side 87°	Full Camber
RT GS R V2610820.000 (FLAT) V2610821.000 (W/PLATE)	Multilayer Woodcore 66/33	2 layers of Titanal	Race Finish 1	Base 0,7°; Side 87°	Tip Rocker
RT SL R WC FIS V2610850.000 (FLAT) V2610851.000 (W/PLATE)	World Cup Woodcore	2 layers of Titanal	Race Finish 2 Flat without Finish	Base 0,5°; Side 87°	Full Camber
RT GS R WC FIS V2610860.000 (FLAT) V2610861.000 (W/PLATE)	World Cup Ash Woodcore	3 layers of Titanal	Race Finish 1 Flat without Finish	Base 0,7°; Side 87°	Tip Rocker

* The parameters specified have been tested on our Wintersteiger Jupiter grinding machine as the ideal tuning parameters for follow-up tuning. However, they are only non-binding guidelines. Deviations are possible depending on the grinding machine, software version, operation and individual ski. We cannot guarantee the grinding results achieved.



MARKER

BINDINGS



MARKER



COMP 30 RD

CATEGORY Competition
BRAKE WIDTH 85 mm
DIN RANGE 15.0 - 30.0
BOOT TYPE A
REC. SKIER'S WEIGHT 60 + kg
STAND HEIGHT 18 mm
TOE SYSTEM Competition 4linkage
AFD GLIDING PLATE Stainless steel
HEEL Twincam Competition
COLOR Black - Flo-red
WEIGHT/PC. 1380 g
ORDER NO. 7130Z1.MS



COMP 16

CATEGORY Race
BRAKE WIDTH 85 mm
DIN RANGE 6.0 - 16.0
BOOT TYPE A
REC. SKIER'S WEIGHT 60 + kg
STAND HEIGHT 18 mm
TOE SYSTEM Comp
AFD GLIDING PLATE Teflon
HEEL Comp TCX
COLOR Black - Flo-Red
WEIGHT/PC. 1200 g
ORDER NO. 6920Y1.MS



COMP 20 RD

CATEGORY Competition
BRAKE WIDTH 85 mm
DIN RANGE 11.0 - 20.0
BOOT TYPE A
REC. SKIER'S WEIGHT 60 + kg
STAND HEIGHT 18 mm
TOE SYSTEM Competition 4linkage
AFD GLIDING PLATE Stainless steel
HEEL Twincam Competition
COLOR Black - Flo-red
WEIGHT/PC. 1375 g
ORDER NO. 7120Z1.MS



COMP 12

CATEGORY Race
BRAKE WIDTH 85 mm
DIN RANGE 4.0 - 12.0
BOOT TYPE A
REC. SKIER'S WEIGHT 60 + kg
STAND HEIGHT 18 mm
TOE SYSTEM Comp
AFD GLIDING PLATE Teflon
HEEL Comp TCX
COLOR Black - Flo-Red
WEIGHT/PC. 1185 g
ORDER NO. 6820Y1.MS



COMP 16 RD

CATEGORY Race
BRAKE WIDTH 85 mm
DIN RANGE 6.0 - 16.0
BOOT TYPE A
REC. SKIER'S WEIGHT 60 + kg
STAND HEIGHT 18 mm
TOE SYSTEM Competition 4linkage
AFD GLIDING PLATE Stainless steel
HEEL Comp TCX
COLOR Black - Flo-Red
WEIGHT/PC. 1310 g
ORDER NO. 7116A1.MS



COMP 10 TCX

CATEGORY Race
BRAKE WIDTH 85 mm
DIN RANGE 3.0 - 10.0
BOOT TYPE A
REC. SKIER'S WEIGHT 30 - 105 kg
STAND HEIGHT 109 mm
TOE SYSTEM 2linkage
AFD GLIDING PLATE Stainless steel
HEEL TCX Light
COLOR Black - Flo-red
WEIGHT/PC. 1095 g
ORDER NO. 6520Y1.MT



AFD
GLIDING PLATE

TLT

COMPACT
HEEL

COMP 10

CATEGORY	Race
BRAKE WIDTH	85 mm
DIN RANGE	3.0 - 10.0
BOOT TYPE	A
REC. SKIER'S WEIGHT	30 - 105 kg
STAND HEIGHT	18 mm
TOE SYSTEM	2linkage
AFD GLIDING PLATE	Stainless steel
HEEL	Compact 3
COLOR	Black - Flo-red
WEIGHT/PC.	830 g
ORDER NO.	6520Y1.MS

COMP JUNIOR 8



AFD
GLIDING PLATE

TLT

COMPACT
HEEL

CATEGORY	Race Junior
BRAKE WIDTH	85 mm
DIN RANGE	2.0 - 8.0
BOOT TYPE	C
REC. SKIER'S WEIGHT	25 - 100 kg
STAND HEIGHT	18 mm
TOE SYSTEM	2linkage junior
AFD GLIDING PLATE	Stainless steel
HEEL	Compact 3
COLOR	Black - Flo-red
WEIGHT/PC.	830 g
ORDER NO.	6320Y1.MS



WORLD CUP PC INTERFACE



CATEGORY
STAND HEIGHT
WIDTH / LENGTH
SOLE LENGTH
COLOR
WEIGHT/PC.
ORDER NO.


WC PC Interface
10 mm

Race
10 mm
59 / 542 mm
260 - 362 mm
Black
645 g
2020Y1.SS
2020Y1.SB
(bulk)

WC PC Interface
14 mm

Race
14 mm
59 / 542 mm
260 - 362 mm
Black
710 g
2022Y1.SS
2022Y1.SC
(bulk)

ALU PRO PLATE



CATEGORY
STAND HEIGHT
WIDTH / LENGTH
SOLE LENGTH
COLOR
WEIGHT/PC.
ORDER NO.

Race
10 mm
58 / 564 mm
260 - 340 mm
Aluminum
850 g
2030S1.MP

DALBELLO

BOOTS



DALBELLO



DRS WC H

ARTICLE CODE D2501001.00
COLOR DEEP GREEN/DEEP GREEN
FLEX R&D
SIZE MP 225 - 285 UK 3-9
SIZE RUN HALF SIZES ONLY
LAST 92 mm
WEIGHT 2350 g
SHELL MATERIAL RACE PU
CUFF MATERIAL RACE PU
LINER DB COMP WC
VELCRO STRAP BUCKLE STRAP 60 mm
BUCKLE D5



DRS WC S

ARTICLE CODE D2501003.00
COLOR DEEP GREEN/DEEP GREEN
FLEX R&D
SIZE MP 225 - 285 UK 3-9
SIZE RUN HALF SIZES ONLY
LAST 92 mm
WEIGHT 2350 g
SHELL MATERIAL RACE PU
CUFF MATERIAL RACE PU
LINER DB COMP WC
VELCRO STRAP BUCKLE STRAP 60 mm
BUCKLE D5



DRS WC M

ARTICLE CODE D2501002.00
COLOR DEEP GREEN/DEEP GREEN
FLEX R&D
SIZE MP 225 - 285 UK 3-9
SIZE RUN HALF SIZES ONLY
LAST 92 mm
WEIGHT 2350 g
SHELL MATERIAL RACE PU
CUFF MATERIAL RACE PU
LINER DB COMP WC
VELCRO STRAP BUCKLE STRAP 60 mm
BUCKLE D5



DRS WC SS

ARTICLE CODE D2501004.00
COLOR DEEP GREEN/DEEP GREEN
FLEX R&D
SIZE MP 225 - 285 UK 3-9
SIZE RUN HALF SIZES ONLY
LAST 92 mm
WEIGHT 2350 g
SHELL MATERIAL RACE PU
CUFF MATERIAL RACE PU
LINER DB COMP WC
VELCRO STRAP BUCKLE STRAP 60 mm
BUCKLE D5



DRS WC XS

ARTICLE CODE D2501005.00
COLOR DEEP GREEN/DEEP GREEN
FLEX R&D
SIZE MP 225 - 265 UK 3-7
SIZE RUN HALF SIZES ONLY
LAST 92 mm
WEIGHT 2330 g
SHELL MATERIAL RACE PU
CUFF MATERIAL RACE PU
LINER DB COMP WC
VELCRO STRAP BUCKLE STRAP 50 mm
BUCKLE D5



DRS 140 PRO 

ARTICLE CODE D2502001.00
COLOR DEEP GREEN/DEEP GREEN
FLEX 140
SIZE MP 225-295
SIZE RUN HALF SIZES ONLY
LAST 97 mm
WEIGHT 2280 g
SHELL MATERIAL RACE PU
CUFF MATERIAL RACE PU
LINER DB COMP PLUS 140
VELCRO STRAP BUCKLE STRAP 60 mm
BUCKLE D5



DRS WC XS J

ARTICLE CODE D2501006.00
COLOR DEEP GREEN/DEEP GREEN
FLEX R&D
SIZE MP 225 - 265 UK 3-7
SIZE RUN HALF SIZES ONLY
LAST 92 mm
WEIGHT 2330 g
SHELL MATERIAL RACE PU
CUFF MATERIAL RACE PU
LINER DB COMP WC
VELCRO STRAP POWER STRAP 50 mm
BUCKLE D5



DRS 130 

ARTICLE CODE D2502002.00
COLOR DEEP GREEN/DEEP GREEN
FLEX 130
SIZE MP 225-295
SIZE RUN HALF SIZES ONLY
LAST 98 mm
WEIGHT 2270 g
SHELL MATERIAL RACE PU
CUFF MATERIAL RACE PU
LINER DB COMP 130
VELCRO STRAP BUCKLE STRAP 60 mm
BUCKLE D5



DRS 110 FIT

ARTICLE CODE D2502003.00
COLOR DEEP GREEN/DEEP GREEN
FLEX 110
SIZE MP 225-295
SIZE RUN HALF SIZES ONLY
LAST 98 mm
WEIGHT 2270 g
SHELL MATERIAL RACE PU
CUFF MATERIAL RACE PU
LINER DB COMP 110
VELCRO STRAP BUCKLE BUCKLE STRAP 60 mm D5



DRS 90 LC FIT

ARTICLE CODE D2502004.00
COLOR DEEP GREEN/DEEP GREEN
FLEX 90
SIZE MP 225-275
SIZE RUN HALF SIZES ONLY
LAST 98 mm
WEIGHT 2100 g
SHELL MATERIAL RACE PU
CUFF MATERIAL RACE PU
LINER DB COMP LC
VELCRO STRAP BUCKLE POWER STRAP 50 mm D5



DRS 75 FIT

ARTICLE CODE D2502005.00
COLOR DEEP GREEN/DEEP GREEN
FLEX 75
SIZE MP 215-275
SIZE RUN HALF SIZES ONLY
LAST 98 mm
WEIGHT 1720 g
SHELL MATERIAL RACE PU
CUFF MATERIAL RACE PU
LINER DB COMP 75
VELCRO STRAP BUCKLE POWER STRAP 30 mm D5




DRS 60 GRIP WALK OPTION

ARTICLE CODE D2502006.00
COLOR DEEP GREEN/DEEP GREEN
FLEX 60
SIZE JR 195-265
SIZE RUN HALF SIZES ONLY
LAST JUNIOR LAST 1300 g
SHELL MATERIAL DB HYPERLITE
CUFF MATERIAL DB HYPERLITE
LINER SUPERCOMFORT PRO
VELCRO STRAP BUCKLE POWER STRAP 25 mm PJ 9 MACRO



DRS WC TARGET GROUP

The DRS WC series offers athletes a set of competition boots made from different plastic blends to satisfy every need. The following chart provides a guideline to help you choose the right boot.



BOOT SIZE OVERVIEW

DRS WC SIZE TABLE

UK	3	4	5	6	7	8	9
SOLE LENGTH	264	274	285	296	305	316	328
MONDO POINT	22.5	23.5	24.5	25.5	26.5	27.5	28.5





KEY FEATURES

MULTILAYER WOODCORE

The combination of beech and poplar allows for an extremely resilient stickwood core, consisting of hardwood in the binding area and somewhat lighter wood in the remaining area.



TAILORED TORSION WOODCORE

A precisely tuned mix of stickwood and laminated wood. Increased torsional stiffness in the shovel and tail ensures direct turn initiation, high-speed stability and powerful energy release, while a smoother center section delivers harmony, control and effortless transitions from carving to drift.



WORLD CUP ASH WOODCORE


Ash is a hard wood. The long fibers stretch when the ski initiates the turn and contract again when the end of the turn is reached. For our WorldCup and Master models, we use



the restoring force of ash to make the ski more solid and stable on the slope and at the same time to build up pressure on the edge. Especially at the shovel and the tail we can build the ski harder and therefore improve the dynamics as well as the smoothness.

WORLD CUP WOODCORE

In order to offer the best combination for optimal ski bending, we use a special mixture of 50% ash and 50% poplar wood for the Worldcup Woodcore. The ash acts like a restoring force, as the long fibers stretch when the ski initiates the turn and contract again when the end of the turn is reached. This makes the ski stronger and more stable on the slopes. Thanks to the poplar parts, an optimum balance of weight is reached.



FINISH

Our skis can be used directly in racing without processing, because our bridges are already delivered with a suspended angle. This is a huge advantage for later preparation.


All our models are coming with dedicated tuning according to each individual purpose and relevant target group. Check out more information on page 28.

ZEBRA BASE STRUCTURE

Vökl invests millions in a new base structure machine. Why?

POLISHED SKI BASES ENHANCE ...
 ... greatest gliding characteristics
 ... optimal base treatment options
 ... long lasting effects

DEDICATED SKI BASE STRUCTURES HAVE A STRONG EFFECT ON ...
 ... agile, precise & reliable turn initiation
 ... tighter turns with less effort
 ... smooth drifting



TAILORED TECHNOLOGIES



One of our latest technologies is Tailored Fibre Placement. In this innovative manufacturing process the Tailored Carbon Tips are produced by embroidering the individual carbon fibers onto a carrier material. This allows them to be positioned exactly along the stress lines, opening up plenty of possibilities, for performance at the front of the ski, which has a decisive influence on the handling of the ski. The stiffness, torsion and thus the skiing characteristics can be specifically adjusted via the fiber thickness and millimeter-precise alignment. In this way, the fibers guide the dynamics to the areas of the ski where they are needed. The visibly integrated Tailored Carbon Tips are light, allow an agile shovel reaction with less effort and quickly build up energy. The Tailored Carbon Tips thus reach a next level of precision, direct tip response and active skiing pleasure.



SCAN ME

DALBELLO

KEY FEATURES

SLIM & COMPACT SHAPE WITH TWO LASTS

LAST 92: With one of the most exacting lasts on the market, at 92 mm the DRS WC brings the power closer to the sole of the foot for more consistent and direct transmission of energy.

LAST 97: The shape of the DRS in the 97 mm last offers a perfect combination of the precision and performance of WC boots with the opportunity to enjoy the entire day of skiing without pressure points or pain. The DRS wraps the entire shape of the foot allowing complete and direct power transmission.

SPECIAL LIFTERS & CANTING SOLES

You can install a pair of lifters with the height of 5 mm (or even 3mm for the WC version). After the installation, boot toe and heel heights must be routed to restore the original height dimensions.

For the DRS 97 lifters are available after-market and offer more grip than the WC version. In addition, GripWalk is available on even the highest performing Dalbello models! With the option of mounting special GripWalk lifters, the DRS 97 mm last can be upgraded with more grip and better walking comfort with no loss of performance.

FLEX & CUFF COMBINATIONS

The stronger the athlete, the harder the plastic of the boot. Stiffer materials allow a direct transmission of the forces to the ski. Size by size the wall plastic thicknesses change according with the entire volume and construction of the boots. This is the reason why the same flex letter on the smallest sizes are softer than the biggest sizes.

BOOTBOARD TUNING OPTIONS

Stance can be adjusted by grinding the boot board: different heights allow different performance characteristics depending on the athlete's needs. In the heel area there are two holes with two different depths. Grinding one or two steps it is possible to vary the bootboard's inclination, in proportion to the developments in the series. If you polish inside the reference area, you get an excellent set up, without margin of error.

RACE BUCKLES & DEDICATED BASE PLATES

Specific DRS buckles are 3D-shaped to follow the ergonomic contours of the boot, ensuring precise buckle tension. Each buckle is specifically designed for its size and position, including the base plate, which is curved to match the boot's shape

SOLE ARCHITECTURE & REBALANCED HEIGHT IN COMPLIANCE WITH ISO NORM

Out of the box, the sole dimensions on the heel and toe are in compliance with ISO 5355. Moreover, the DRS is also within the FIS stand height regulation of 43 mm.

LINERS & TONGUE

The WC liners are made with the highest quality materials to maximize feel and optimal vibration absorption.



- 1 Velcro spoiler
- 2 Specific collar
- 3 WC lining & padding material
- 4 Lorica outer tomaia
- 5 Tongue after customization

MARKER




COMP TOE

- One piece attachment with three point mounting pattern
- Absorbers in main body provide more constant release value and a more forgiving performance
- Great power transmission, precision and control



COMP HEEL

- Increased vertical energy absorption
- 16mm elastic travel
- Increased boot lug purchase
- Wider contact points and heel connection
- Best power transmission
- Optimized energy distribution



PISTON CONTROL

The inner life of the World Cup Plate. A hydraulic oil piston enables sensational performance on the race track. The piston only reacts to negative ski impacts. This noticeably improves the turn initiation, increases the edge grip and allows more precisely controlled turns.

ACCESSORIES

RACING TUNING KIT COMP
2028Y1RX



SLALOM TIP PROTECTORS ASYMMETRIC
154511.6



SLALOM TIP PROTECTORS SYMMETRIC
154511.7



RT SL PROTECTOR
140090.0



POLES



SPEEDSTICK CARBON
141001
Black
110 - 135 cm



SPEEDSTICK RED
141002
GS Red
110 - 135 cm



SPEEDSTICK YELLOW
141003
SL Yellow
110 - 135 cm



SPEEDSTICK JR YELLOW
141020
SL Yellow
90 - 110 cm



SPEEDSTICK KIDS YELLOW
141021
SL Yellow
70 - 105 cm

BAGS



RACE BOOT PACK VÖKL

ART. NO. 142100
COLOR Black/Red
SIZE IN CM 34 x 31 x 48
VOLUME IN L 55



RACE BOOT & HELMET BACKPACK VÖKL

ART. NO. 142101
COLOR Black/Red
SIZE IN CM 39 x 30 x 47
VOLUME IN L 56



RACE BOOT & HELMET BACKPACK DALBELLO

ART. NO. 142102
COLOR Green / Black / White
SIZE IN CM 39 x 30 x 47
VOLUME IN L 56



RACE BACKPACK TEAM LARGE VÖKL

ART. NO. 142103
COLOR Black/Red
SIZE IN CM 49 x 36 x 65
VOLUME IN L 115



RACE BACKPACK TEAM LARGE DALBELLO

ART. NO. 142113
COLOR Green / White
SIZE IN CM 49 x 36 x 65
VOLUME IN L 115



RACE BACKPACK TEAM MEDIUM VÖKL

ART. NO. 142105
COLOR Black/Red
SIZE IN CM 40 x 36 x 60
VOLUME IN L 85



RACE BACKPACK TEAM MEDIUM DALBELLO

ART. NO. 142106
COLOR Green / White
SIZE IN CM 40 x 36 x 60
VOLUME IN L 85



RACE 120 L ROLLING BAG VÖKL

ART. NO. 142108
COLOR Black/Red
SIZE IN CM 76 x 39 x 35
VOLUME IN L 120




RACE SINGLE SKI BAG 175 CM VÖKL

ART. NO. 142109
COLOR Black/Red
SIZE IN CM 175 x 14 x 14
VOLUME IN L 80



RACE SINGLE SKI BAG 165+15+15 CM VÖKL

ART. NO. 142110
COLOR Black/Red
SIZE IN CM (165+15 x 2) x 14 x 14
VOLUME IN L 80



RACE DOUBLE SKI BAG 195 CM VÖKL

ART. NO. 142111
COLOR Black/Red
SIZE IN CM 195 x 26 x 40
VOLUME IN L 120



RACE 4PRS SKIBAG PADDED 230CM VÖKL

ART. NO. 144100
COLOR Black
SIZE IN CM 230 x 141



TEAM PRO BACKPACK VÖKL

ART. NO. 143100
COLOR Heather Grey
SIZE IN CM 56 x 33 x 28
VOLUME IN L 52



FLIGHT 30 L BACKPACK VÖKL

ART. NO. 143101
COLOR Heather Grey
SIZE IN CM 50 x 33 x 18
VOLUME IN L 30



TRAVEL 60 L DUFFEL VÖKL

ART. NO. 143102
COLOR Heather Grey
SIZE IN CM 61 x 33 x 25
VOLUME IN L 60



TRAVEL 90 L DUFFEL VÖKL

ART. NO. 143103
COLOR Heather Grey
SIZE IN CM 74 x 42 x 28
VOLUME IN L 90



ROLLING 70 L BAG VÖKL

ART. NO. 143104
COLOR Heather Grey
SIZE IN CM 61 x 36 x 31
VOLUME IN L 70



ROLLING 120 L BAG VÖKL

ART. NO. 143105
COLOR Heather Grey
SIZE IN CM 76 x 41 x 41
VOLUME IN L 120



ROLLING DOUBLE SKI BAG 185 CM VÖKL

ART. NO. 143106
COLOR Heather Grey
SIZE IN CM 185 x 33 x 20
VOLUME IN L 122



ROLLING ALL PRO GEAR BAG 200 CM VÖKL

ART. NO. 143107
COLOR Heather Grey
SIZE IN CM 200 x 36 x 25
VOLUME IN L 180

VÖLKL MOMENTS

Racing is more than a sport—it's a passion. Völkl Moments capture the thrill of the race, the drive for perfection, and the joy of pushing your limits on the course.

HASHTAGS

#volklkis
#wearevolkl
#racetiger

TAG US!

Tag @volklkis for a chance to be featured on our page.

AMD
SPORTS
www.amdsports.ru

Здесь больше каталогов брендов!
Подпишись на наши соц сети: (ссылки)

Вконтакте

Telegram



Marker Dalbello Vökl (International) GmbH
Ruessenstrasse 6
6341 Baar
Switzerland

Photography:
Peter Mathis, GEPA Pictures, Aina Punsil, Michael Mayer,
Paul Schmidt, Carlo Beretta, Magnus Walch
Created & produced by: yearning.de
© 2025 Vökl. Subject to alteration.

Marker, Marker Logo, Vökl, Vökl Logo, and Racetiger are registered trademarks of Marker Dalbello Vökl (International) GmbH and other marks are pending. Dalbello and Dalbello Logo are registered trademarks of Dalbello S.r.l. and other marks are pending.